

## ENNIO PROSPERI

### Publications

113- Guardamagna I, Bassi E, Savio M, Perucca P, Cazzalini O, **Prosperi E**, Stivala LA. - A functional in vitro cell-free system for studying DNA repair in isolated nuclei. *J Cell Sci* 133: jcs240010, 2020.

112- Cardano M, Tribioli C, **Prosperi E**. - Targeting Proliferating Cell Nuclear Antigen (PCNA) as an Effective Strategy to Inhibit Tumor Cell Proliferation. *Curr Cancer Drug Targets* 20:240-252, 2020.

111- Dutto I, Scalera C, Tillhon M, Ticli G, Passaniti G, Cazzalini O, Savio M, Stivala LA, Gervasini C, Larizza L, **Prosperi E**. - Mutations in CREBBP and EP300 genes affect DNA repair of oxidative damage in Rubinstein-Taybi syndrome cells. *Carcinogenesis* 41:257-266, 2020.

110- Ticli G, **Prosperi E**. - In Situ Analysis of DNA-Protein Complex Formation upon Radiation-Induced DNA Damage. *Int J Mol Sci*. Nov 15;20(22):5736, 2019.

109- Bassi E, Perucca P, Guardamagna I, **Prosperi E**, Stivala LA, Cazzalini O. - Exploring new potential role of DDB2 by host cell reactivation assay in human tumorigenic cells. *BMC Cancer*. Oct 29;19(1):1013, 2019.

108- Alari V, Russo S, Rovina D, Garzo M, Crippa M, Calzari L, Scalera C, Concolino D, Castiglioni E, Giardino D, **Prosperi E**, Finelli P, Gervasini C, Gowran A, Larizza L. - Generation of three iPSC lines (IAIi002, IAIi004, IAIi003) from Rubinstein-Taybi syndrome 1 patients carrying CREBBP non sense c.4435G>T, p.(Gly1479\*) and c.3474G>A, p.(Trp1158\*) and missense c.4627G>T, p.(Asp1543Tyr) mutations. *Stem Cell Res*. Oct;40:101553, 2019.

107- Alari V, Russo S, Rovina D, Gowran A, Garzo M, Crippa M, Mazzanti L, Scalera C, **Prosperi E**, Giardino D, Gervasini C, Finelli P, Pompilio G, Larizza L. - Generation of the Rubinstein-Taybi syndrome type 2 patient-derived induced pluripotent stem cell line (IAIi001-A) carrying the EP300 exon 23 stop mutation c.3829A>T, p.(Lys1277\*). *Stem Cell Res*. 30:175-179, 2018.

106- Perucca P, Mocchi R, Guardamagna I, Bassi E, Sommatitis S, Nardo T, **Prosperi E**, Stivala LA, Cazzalini O. - A damaged DNA binding protein 2 mutation disrupting interaction with proliferating-cell nuclear antigen affects DNA repair and confers proliferation advantage. *Biochim Biophys Acta-Mol Cell Res*. Jun;1865(6):898-907, 2018.

105- Dutto I, Scalera C, **Prosperi E**. - CREBBP and p300 lysine acetyl transferases in the DNA damage response. *Cell Mol Life Sci*. Apr;75(8):1325-1338, 2018.

104- Dutto I, Cazzalini O, Stivala La, **Prosperi E**. - An improved method for the detection of nucleotide excision repair factors at local UV DNA damage sites. *DNA Repair* 51: 79-84, 2017.

103- Dutto I, Sukhanova M, Tillhon M, Cazzalini O, Stivala La, Scovassi Ai, Lavrik O, **Prosperi E.** - p21CDKN1A Regulates the Binding of Poly(ADP-Ribose) Polymerase-1 to DNA Repair Intermediates. PLoS One 11:e0146031, 2016.

102- Dutto I, Tillhon M, **Prosperi E.** - Assessing Cell Cycle Independent Function of the CDK Inhibitor p21(CDKN1A) in DNA Repair. Methods Mol. Biol. 1336: 123-139, 2016.

101- Perucca P, Sommatis S, Mocchi R, **Prosperi E.**, Stivala La, Cazzalini O. - A DDB2 mutant protein unable to interact with PCNA promotes cell cycle progression of human transformed embryonic kidney cells. Cell Cycle 14: 3920-3928, 2015.

100- Dutto I, Tillhon M, **Prosperi E.** - Assessing Cell Cycle Independent Function of the CDK Inhibitor p21<sup>CDKN1A</sup> in DNA Repair. Methods Mol. Biol. 1336:123-139, 2016.

99 - Necchi D, Pinto A, Tillhon M, Dutto I, Serafini MM, Lanni C, Govoni S, Racchi M, **Prosperi E.** - Defective DNA repair and increased chromatin binding of DNA repair factors in Down syndrome fibroblasts. Mutat Res. 780: 15-23, 2015.

98- Dutto I, Tillhon M, Cazzalini O, Stivala LA, **Prosperi E.** – Biology of the cell cycle inhibitor p21<sup>CDKN1A</sup>: molecular mechanisms and relevance in chemical toxicology. Arch. Toxicol. 89: 155-178, 2015

97- Guaman Ortiz LM, Tillhon M, Parks M, Dutto I, **Prosperi E.**, Savio M, Arcamone AG, Buzzetti F, Lombardi P, Scovassi AI – Multiple effects of berberine derivatives on colon cancer cells. BioMed Res. Int. 2014: 924585, 2014

96- Cazzalini O, Sommatis S, Tillhon M, Dutto I, Bachi A, Rapp A, Nardo T, Scovassi Ai, Necchi D, Cardoso MC, Stivala LA, **Prosperi E.** – CBP and p300 acetylate PCNA to link its degradation with nucleotide excision repair synthesis. Nucleic Acids Res. 42: 8433-8448, 2014

95- Cazzalini O, Perucca P, Mocchi R, Sommatis S, **Prosperi E.**, Stivala LA - DDB2 association with PCNA is required for its degradation after UV- induced DNA damage. Cell Cycle. 13: 240-248, 2014

94-Tillhon M, Cazzalini O, Nardo T, Necchi D, Sommatis S, Stivala LA, Scovassi AI, **Prosperi E.** - p300/CBP acetyl transferases interact with and acetylate the nucleotide excision repair factor XPG. DNA Repair 11: 844-852, 2012.

93- Stivala LA, Cazzalini O, **Prosperi E.** - The cyclin-dependent kinase inhibitor p21CDKN1A as a target for anti-cancer drugs. Curr. Cancer Drug Targets 12: 85-96, 2012

92- Giansanti V, Tillhon M, Mazzini G, **Prosperi E.**, Lombardi P, Scovassi AI. - Killing of tumor cells: A drama in two acts. Biochem Pharmacol. 82: 1304-1310, 2011

91- Parks M, Tillhon M, Donà F, **Prosperi E.**, Scovassi AI. 2-Methoxyestradiol: new perspectives in colon carcinoma treatment. Mol Cell Endocrinol. 331:119-128, 2011.

90- Cazzalini O, Donà F, Savio M, Tillhon M, Maccario C, Perucca P, Stivala LA, Scovassi AI, **Prosperi E.** - p21CDKN1A participates in base

excision repair by regulating the activity of poly(ADP-ribose) polymerase-1. *DNA Repair* **9**:627-635, 2010.

89- Cazzalini O, Scovassi AI, Savio M, Stivala LA, **Prosperi E**. - Multiple roles of the cell cycle inhibitor p21(CDKN1A) in the DNA damage response. *Mutat. Res. Rev Mutat.* **704**:12-20, 2010.

88- Giansanti V, Piscitelli F, Camboni T, **Prosperi E**, La Regina G, Parks M, Silvestri R, Scovassi AI. - Arylthioindoles: promising compounds against cancer cell proliferation. *Oncol Lett.* **1**:109-112, 2010.

87- Savio M, Coppa T, Bianchi L, Vannini V, Maga G, Forti L, Cazzalini O, Lazzè MC, Perucca P, **Prosperi E**, Stivala LA - The resveratrol analogue 4,4'-dihydroxy-trans-stilbene inhibits cell proliferation with higher efficiency but different mechanism from resveratrol. *Int J Biochem Cell Biol.* **41**:2493- 2502, 2009.

86- Giansanti V., Camboni T., Piscitelli F, **Prosperi E**, La Regina G, Lazzè Mc, Santin G, Silvestri R, Scovassi Ai. -Study of the effects of a new pyrazolecarboxamide: Changes in mitochondria and induction of apoptosis. *Int J Biochem Cell Biol.* **41**: 1890-1898, 2009.

85- Savio M, Coppa T, Cazzalini O, Perucca P, Necchi D, Nardo T, Stivala La, **Prosperi E**. - Degradation of p21(CDKN1A) after DNA damage is independent of type of lesion, and is not required for DNA repair. *DNA Repair*, **8**: 778-785, 2009.

84- Cisterna B, Malatesta M, Dieker J, Muller S, **Prosperi E**, Biggiogera M. - An active mechanism flanks and modulates the export of the small ribosomal subunits. *Histochem Cell Biol.* **131**: 743-753, 2009.

83- Perucca P, Cazzalini O, Madine M, Savio M, Laskey RA, Vannini V, **Prosperi E**, Stivala LA - Loss of p21 CDKN1A impairs entry to quiescence and activates a DNA damage response in normal fibroblasts induced to quiescence. *Cell Cycle* **8**: 105-114, 2009.

82- Franchitto A, Pirzio LM, **Prosperi E**, Sabora O, Bignami M, Pichierri P. - Replication fork stalling in WRN-deficient cells is overcome by prompt activation of a MUS81-dependent pathway. *J Cell Biol.* **183**: 241-252, 2008.

81- Donà F, **Prosperi E**, Savio M, Coppa T, Scovassi AI, Mondello C. - Loss of histone H2AX increases sensitivity of immortalized mouse fibroblasts to the topoisomerase II inhibitor etoposide. *Int J Oncol.* **33**: 613-621, 2008.

80- Cazzalini O, Perucca P, Savio M, Necchi D, Bianchi L, Stivala LA, Ducommun B, Scovassi Ai, **Prosperi E**. - Interaction of p21(CDKN1A) with PCNA regulates the histone acetyltransferase activity of p300 in nucleotide excision repair. *Nucleic Acids Res.* **36**: 1713-1722, 2008.

79- La Regina G, Edler MC, Brancale A, Kandil S, Coluccia A, Piscitelli F, Hamel E, De Martino G, Matesanz R, Díaz JF, Scovassi AI, **Prosperi E**, Lavecchia A, Novellino E, Artico N, Silvestri R -

Arylthioindole inhibitors of tubulin polymerization. 3. Biological evaluation, structure-activity relationships and molecular modeling studies. *J Med Chem.* **50**: 2865-2874, 2007.

78- Savio M, Cerri M, Cazzalini O, Perucca P, Stivala La, Pichierri P, Franchitto A, Meijer L, **Prosperi E.** - Replication-dependent DNA damage response triggered by roscovitine induces an uncoupling of DNA replication proteins. *Cell Cycle.* **5**: 2153-2159, 2006.

77- Cisterna B, Necchi D, **Prosperi E,** Biggiogera M. - Small ribosomal subunits associate with nuclear myosin and actin in transit to the nuclear pores. *FASEB J.* **20**: 1901-1903, 2006.

76- **Prosperi E** - The fellowship of the rings: distinct pools of proliferating cell nuclear antigen trimer at work. *FASEB J.* **20**: 833-837, 2006.

75- Scovassi AI, **Prosperi E.** - Analysis of proliferating cell nuclear antigen (PCNA) associated with DNA excision repair sites in mammalian cells. *Methods Mol Biol.* **314**: 457-475, 2006

74- Perucca P, Cazzalini O, Mortusewicz O, Necchi D, Savio M, Nardo T, Stivala LA, Leonhardt H, Cardoso Mc, **Prosperi E.** - Spatiotemporal dynamics of p21<sup>CDKN1A</sup> protein recruitment to DNA-damage sites and interaction with proliferating cell nuclear antigen. *J Cell Sci.* **119**: 1517-1527, 2006

73- Cazzalini O, Perucca P, Valsecchi F, Stivala LA, Bianchi L, Vannini V, **Prosperi E** - Intracellular localization of the cyclin-dependent kinase inhibitor p21(CDKN1A)-GFP fusion protein during cell cycle arrest. *Histochem. Cell Biol.* **121**: 377-381, 2004.

72- Riva F, Savio M, Cazzalini O, Stivala La, Scovassi IA, Cox LA, Ducommun B, **Prosperi E.** - Distinct pools of proliferating cell nuclear antigen associated to DNA replication sites interact with the p125 subunit of DNA polymerase  $\delta$  or DNA ligase I. *Exp. Cell Res.* **293**: 357-67, 2004.

71- Cazzalini O, Perucca P, Riva F, Stivala LA, Bianchi L, Vannini V, Ducommun B, **Prosperi E.**- p21CDKN1A does not interfere with loading of PCNA at DNA replication sites, but inhibits subsequent binding of DNA polymerase delta at the G1/S phase transition. *Cell Cycle* **2** :596-603, 2003.

70- Frouin I, Maga G, Denegri M, Riva F, Savio M, Spadari S, **Prosperi E,** Scovassi AI. - Human proliferating cell nuclear antigen, poly(ADP- ribose) polymerase-1, and p21waf1/cip1. A dynamic exchange of partners. *J. Biol. Chem.* **278**: 39265-39268, 2003.

69- Lazze MC, Pizzala R, Savio M, Stivala LA, **Prosperi E,** Bianchi L. – Anthocyanins protect against DNA damage induced by tert-butyl-hydroperoxide in rat smooth muscle and hepatoma cells. *Mutat. Res.* **535**: 103-115, 2003.

68- Sommi P, Savio M, Stivala LA, Scotti C, Mignosi P, **Prosperi E,** Vannini V, Solcia E. – Helicobacter pylori releases a factor(s) inhibiting cell cycle progression of human gastric cell lines by affecting cyclin E/cdk2 kinase activity and

Rb protein phosphorylation through enhanced p27kip1 protein expression. *Exp. Cell Res.* **281**: 128-139, 2002.

67- Riva F, Zuco V, Vink AA, Supino R, **Prosperi E.** - UV-induced DNA incision and proliferating cell nuclear antigen recruitment to repair sites occur independently of p53-replication protein A interaction in p53 wild type and mutant ovarian carcinoma cells. *Carcinogenesis.* **22**: 1971-1978, 2001.

66- Cazzalini O, Lazze MC, Iamele L, Stivala LA, Bianchi L, Vaghi P, Cornaglia A, Calligaro A, Curti D, Alessandrini A, **Prosperi E,** Vannini V. - Early effects of AZT on mitochondrial functions in the absence of mitochondrial DNA depletion in rat myotubes. *Biochem Pharmacol.* **62**: 893-902, 2001

65- Scovassi AI, Pellegata NS, Di Stefano L, Padovan L, Negri C, **Prosperi E,** Riva F, Ciomei M, Ranzani GN - Effects of topoisomerase II inhibitors on gastric cancer cells characterized by different genetic lesions. *Anticancer Res.* **21**: 2803-2808, 2001.

64- Montecucco A., Rossi R., Ferrari G., Scovassi A.I., **Prosperi E.,** Biamonti G. – Etoposide induces the dispersal of DNA ligase I from replication factories. *Mol. Biol. Cell* **12**, 2109-2118, 2001.

63- Frouin I., **Prosperi E.,** Denegri M., Negri C., Donzelli M., Rossi., Riva F., Stefanini M., Scovassi A.I.- Different effects of methotrexate on DNA mismatch repair proficient and deficient cells. *Eur. J. Cancer* **37**, 1173-1180, 2001.

62- Stivala L.A., Savio M., Carafoli F., Perucca P., Bianchi L., Maga G., Forti L., Pagnoni U.M., Albini A., **Prosperi E.,** Vannini V. – Specific structural determinants are responsible for the antioxidant activity and the cell cycle effects of resveratrol. *J. Biol. Chem.* **276**, 22586-22594, 2001.

61- Stivala L.A., Riva F., Cazzalini O., Savio M., **Prosperi E.** – p21(waf1/cip1)-null human fibroblasts are deficient in nucleotide excision repair downstream the recruitment of PCNA to repair sites. *Oncogene* **20**, 563-570, 2001

60- Rumio C., Donetti E., Imberti A., Barajon I., **Prosperi E.,** Brivio M.F., Boselli A., Lavezzari E., Veraldi S., Bignotto M., Castano P. -c-Myc expression in human anagen hair follicles. *Br. J. Dermatol.*, **142**, 1092-99, 2000

59- Stivala L.A., Savio M., Quarta S., Scotti C., Cazzalini O., Rossi L., Scovassi I.A., Pizzala R., Melli R., Bianchi L., Vannini V. **Prosperi E.** - The antiproliferative effect of  $\beta$ -carotene requires p21waf1/cip1 in normal human fibroblasts. *Eur. J. Biochem.*, **267**, 2290-2296, 2000.

58- Torriglia A., Negri C., Chaudun E., **Prosperi E.,** Courtois Y., Counis M.F. And Scovassi A.I. - Differential involvement of DNases in HeLa cell apoptosis induced by etoposide and long term-culture. *Cell Death Differ.*, **6**, 234-244, 1999.

57- Donzelli M., Bernardi R., Negri C., **Prosperi E.,** Padovan L., Lavielle C., Brison O. And Scovassi A.I. - Apoptosis-prone phenotype of

human colon carcinoma cells with a high level amplification of the c-myc gene. *Oncogene* **18**, 439-448, 1999.

56- Alessi F., Quarta S., Savio M., Riva F., Rossi L., Stivala L.A., Scovassi A.I., Meijer L. And **Prosperi E.** - The cyclin-dependent kinase inhibitors olomucine and roscovitine arrest human fibroblasts in G1 phase by specific inhibition of CDK2 kinase activity. *Exp. Cell Res.*, **245**, 8-18, 1998.

55- Savio M., Stivala L.A., Bianchi L., Vannini V. And **Prosperi E.** - Involvement of the proliferating cell nuclear antigen (PCNA) in DNA repair induced by alkylating agents and oxidative damage in human fibroblasts. *Carcinogenesis* **19**, 591- 596, 1998.

54- Donzelli M., Negri C., Mandarino A., Rossi L., **Prosperi E.**, Frouin I., Bernardi R., Burkle A. And Scovassi A.I. - Poly(ADP-ribose) synthesis: a useful marker to identify apoptotic cells. *Histochem. J.* **29**, 831-837, 1997.

53- Scovassi A.I., Stivala L.A., Rossi L., Bianchi L., And **Prosperi E.** - Nuclear association of cyclin D1 in human fibroblasts: tight binding to nuclear structures and modulation by protein kinase inhibitors. *Exp. Cell Res.* **237**, 127-134, 1997.

52- **Prosperi E.**, Stivala L.A., Scovassi A.I., And Bianchi L. - Cyclins: relevance of subcellular localization in cell cycle control. *Eur. J. Histochem.* **41**, 161- 168, 1997.

51- Tupler R., Marseglia G., Stefanini M., Nardo T., **Prosperi E.**, Chessa L., Maccario R., Montagna D., Marchi A. And Maraschio P. - A Nijmegen breakage syndrome with unusual chromosome rearrangements. *J. Med. Genet.* **34**, 196-202, 1997.

50- Stivala L.A., Savio M., Cazzalini O., Pizzala R., Rehak L., Bianchi L., Vannini V. And **Prosperi E.** - *Carcinogenesis* **17**, 2395-2401, 1996.

49- Supino R., Righetti S., Magnani I., Bottiroli G., **Prosperi E.** - Modulation and cell cycle distribution of mutant p53 protein in a human small-cell lung carcinoma cell line. *Cell. Pharmacol.* **3**, 253-260, 1996.

48- Negri C., Bernardi R., Donzelli M., **Prosperi E.**, Scovassi A.I. - Sequence of events leading to apoptosis in long term cultured HeLa cells. *Cell Death Differ.* **3**, 425-430, 1996.

47- Savio M., Stivala L.A., Scovassi A.I., Bianchi L., **Prosperi E.** - p21<sup>waf1/cip1</sup> protein associates with the detergent-insoluble form of PCNA concomitantly with disassembly of PCNA at nucleotide excision repair sites. *Oncogene* **13**, 1591-1598, 1996.

46- Barni S., Fraschini A., **Prosperi E.**, Vaccarone R., Bernini F. - Possible occurrence of amitotic cell division during haematopoiesis in the Urodeles. *Comp. Haematol. Int.*, **5**, 183-188, 1996.

- 45- **Prosperi E.**, Negri C., Bottiroli G., Astaldi Ricotti G.C.B. - Immunocytometric determination of the  $\alpha$  and  $\beta$  isoforms of human DNA topoisomerase II: influence of different fixatives. *Anal. Cell. Pathol.*, **10**, 137-148, 1996.
- 44- Stivala L.A., Scovassi A.I., Bianchi L., **Prosperi E.** - Nuclear binding of cell cycle-related proteins: Cyclin A versus proliferating cell nuclear antigen (PCNA). *Biochimie* **77**, 888-892, 1995.
- 43- Binaschi M., Supino R., Gambetta R., Giaccone G., **Prosperi E.**, Capranico G., Cataldo I., Zunino F. - MRP Gene Overexpression in a Human Doxorubicin-Resistant SCLC Cell Line: Alterations In Cellular Pharmacokinetics And In Pattern Of Cross-Resistance. *Int. J. Cancer* **62**, 84-89, 1995.
- 42- Bernardi R., Negri C., Donzelli M., Guano F., Torti M., **Prosperi E.** Scovassi A.I. - Activation of poly(ADP-ribose)polymerase in apoptotic human cells. *Biochimie*, **77**, 378-384, 1995.
- 41- Nano R., Barni S., Capelli E., **Prosperi E.**, Lavezzi L., Salvucci O. - DNA-protein cell content of lymphokine activated killer (LAK) and target cells in coculture. *Anticancer Res.*, **15**, 751-754, 1995.
- 40- Monti E., **Prosperi E.**, Supino R., Bottiroli G. - Free radical-dependent DNA lesions are involved in the delayed cardiotoxicity induced by Adriamycin in the rat. *Anticancer Res.*, **15**, 193-198, 1995.
- 39- Nano R., Barni S., Capelli E., **Prosperi E.**, Salvucci O., Rossi A., Lavezzi L. - Cocultures of lymphokine-activated killer (LAK)-target cells: a cytokinetic study. *Med. Biol. Environ.*, **22**, 341-346, 1994.
- 38- **Prosperi E.**, Scovassi A.I., Stivala L.A., Bianchi L. - Proliferating cell nuclear antigen bound to DNA synthesis sites: phosphorylation and association with cyclin D1 and cyclin A. *Exp. Cell Res.*, **215**, 257-262, 1994.
- 37- Guano F., Bernardi R., Negri C., Donzelli M., **Prosperi E.**, Astaldi Ricotti G.C.B., Scovassi A.I. - Dose-dependent zinc inhibition of DNA ladder in apoptotic HeLa cells regulates the activity of poly(ADP-ribose) polymerase and does not protect from death induced by VP-16. *Cell Death Differ.*, **1**, 101-107, 1994.
- 36- **Prosperi E.**, Giangare' M.C., Bottiroli G. - DNA stainability with base-specific fluorochromes: dependence on the DNA topology in situ. *Histochemistry*, **102**, 123-128, 1994.
- 35- Nano R., Barni S., Capelli E., Cremaschi P., Catanese C., Tomaselli S., Nascimbene C., **Prosperi E.** - Correlation between ultrastructural and histochemical parameters in lymphokine-activated killer (LAK) cells reacting with target cells in vitro. *Acta Oncol.*, **33**, 165-169, 1994.
- 34- **Prosperi E.**, Negri C., Marchese G., Astaldi Ricotti G.C.B. - Expression of the 170-kDa and 180-kDa isoforms of DNA topoisomerase II in resting and proliferating human lymphocytes. *Cell Prolif.*, **27**, 257-267, 1994.

33- Barni S., Nano R., Capelli E., **Prosperi E.** - Ultrastruttura e citofluorimetria della cinetica interattiva in vitro tra cellule LAK e cellule neoplastiche bersaglio. *Acta Gerontol.*, **43**, 179-180, 1993.

32- Paracchini L., Jotti A., Bottiroli G., **Prosperi E.**, Supino R., Piccinini F. - The spin trap alpha-phenyl-tert-butyl nitron protects against myelotoxicity and cardiotoxicity of Adriamycin while preserving the cytotoxic activity. *Anticancer Res.*, **13**, 1607-1612, 1993.

31- Stivala L.A., **Prosperi E.**, Rossi R., Bianchi L. - Involvement of proliferating cell nuclear antigen in DNA repair after damage induced by genotoxic agents in human fibroblasts. *Carcinogenesis*, **14**, 2569-2573, 1993.

30- Giangare' M.C., **Prosperi E.**, Monti E., Bottiroli G.- Effects of solation conditions on the cytometric evaluation of chromatin structure in rat myocardial nuclei. *Anal. Cell. Pathol.*, **5**, 311-315, 1993.

29- Supino R., Binaschi M., Capranico G., Gambetta R., **Prosperi E.**, Sala E., Zunino F. - A study of cross-resistance pattern and expression of molecular markers of multidrug resistance in a human small-cell lung-cancer cell line selected with doxorubicin. *Int. J. Cancer*, **54**, 309-314, 1993.

28- **Prosperi E.**, Stivala L.A., Sala E., Scovassi A.I., Bianchi L. - Proliferating cell nuclear antigen complex formation induced by ultraviolet irradiation in human quiescent fibroblasts as detected by immunostaining and flow cytometry. *Exp. Cell Res.*, **205**, 320-325, 1993.

27- **Prosperi E.**, Stivala L.A., Bianchi L. - Flow cytometric analysis of DNA sensitivity to nuclease S1 in UVC-irradiated human fibroblasts. *J. Photochem. Photobiol. B: Biol.*, **18**, 91-93, 1993.

26- **Prosperi E.**, Supino R., Bottiroli G. - Increased sensitivity of damaged DNA to digestion with nuclease S1 as assessed in single cells by flow cytometry. *Cytometry*, **14**, 53-58, 1993.

25- **Prosperi E.**, Sala C., Negri C., Oliani C., Supino R., Astaldi Ricotti G.B.C., Bottiroli G. - Topoisomerase II a and b in human tumor cells grown in vitro and in vivo. *Anticancer Res.*, **12**, 2093-2100, 1992.

24- Barni S., Nano R., Bertone V., **Prosperi E.** - Ultrastructure and cytochemistry of circulating erythrocytes during the annual cycle of *Rana esculenta* L.. *Comp. Haematol. Intern.*, **2**, 166-169, 1992.

23- Supino R., Mariani M., Colombo A., **Prosperi E.**, Croce A.C., Bottiroli G. - Comparative studies on the effects of doxorubicin and differentiation inducing agents on B16 melanoma cells. *Eur. J. Cancer*, **28 A**, 778-783, 1992.

22- **Prosperi E.**, Giangare' M.C., Bottiroli G. - Nuclease-induced DNA structural changes assessed by flow cytometry with the intercalating dye Propidium Iodide. *Cytometry*, **12**, 323-329, 1991.



- 21- **Prosperi E.**, Giangare' M.C., Supino R., Bottiroli G. – Flow cytometric evaluation of DNA digestion with micrococcal nuclease on isolated HeLa nuclei. *J. Microsc.*, **159**, 255-263, 1990.
- 20- **Prosperi E.** - Intracellular turnover of Fluorescein diacetate. Influence of membrane ionic gradient on Fluorescein efflux. *Histochem J.*, **22**, 227-233, 1990.
- 19- **PROSPERI E.**, GIANGARE' M.C., SUPINO R. and BOTTIROLI G. - Parameters influencing the flow cytometric analysis of DNA sensitivity to nuclease S1. *Histochemistry*, **93**, 417-421, 1990.
- 18- Giangare' M.C., **Prosperi E.**, Pedrali-Noy G., Bottiroli G. -Flow cytometric evaluation of DNA stainability with Propidium Iodide after histone H1 extraction. *Cytometry*, **10**, 726-730, 1989.
- 17- Pratesi G., Manzotti C., Tortoreto M., **Prosperi E.**, Zunino F. - Effects of 5-FU and cis-DDP combination on human colorectal tumor xenografts. *Tumori*, **75**, 60-65, 1989.
- 16- **Prosperi E.**, Croce A.C., Supino R., Bottiroli G. - Metabolic energy availability and proliferative activity in Adriamycin-treated cells. *Anticancer Res.*, **9**, 203-208, 1989.
- 15- Mariani M., **Prosperi E.**, Colombo A., Supino R. – Doxorubicin resistance circumvention by verapamil in B16 melanoma cells. *Anticancer Res.*, **9**, 29- 32, 1989.
- 14- Croce A.C., Bottiroli G., **Prosperi E.**, Supino R., Stoward P.J. - Limitations of the quantitative cytochemical assay of catechol oxidase in melanoma cells. *Histochem. J.*, **20**, 595-602, 1988.
- 13- Giangare' M.C., **Prosperi E.**, Bottiroli G. - DNA sensitivity to S1 nuclease detected by base-specific fluorochromes. *Bas. Appl. Histochem.*, **32**, 297-299, 1988.
- 12- Supino R., Mariani M., **Prosperi E.**, Parmiani G. - Lack of cross-resistance of a doxorubicin-resistant B16 melanoma line with 4'-deoxy-4' iododoxorubicin. *Cancer Chemother. Pharmacol.*, **21**, 251-254, 1988.
- 11- **Prosperi E.**, Bottiroli G., Supino R. - Flow cytometric evaluation of DNA digestion with S1 nuclease. *Bas. Appl. Histochem.*, **31**, 511-520, 1987.
- 10- Croce A.C., **Prosperi E.**, Supino R., Bottiroli G. - Anthracycline-induced inhibition of membrane permeability functions dependent on metabolic energy. *Br. J. Cancer*, **54**, 943-950, 1986.
- 9- Supino R., **Prosperi E.**, Formelli F., Mariani M., Parmiani G. Characterization of a doxorubicin-resistant murine melanoma line: studies on cross- resistance and its circumvention. *Br. J. Cancer*, **54**, 33-42, 1986.

- 8- **Prosperi E.**, Croce A.C., Bottiroli G., Supino R. - Flow cytometric analysis of membrane permeability properties influencing intracellular accumulation and efflux of fluorescein. *Cytometry* **7**, 70-75, 1986.
- 7- **Prosperi E.**, Croce A.C., Bottiroli G., Supino R. - Influence of Daunorubicin on membrane permeability properties: detection by means of intracellular accumulation and efflux of fluorescein. *Chem.-Biol. Interactions*, **54**, 271-280, 1985.
- 6- Giordano P.A., **Prosperi E.**, Bottiroli G. - Primary fluorescence of rat muscle after CO<sub>2</sub> thermal injury. *Lasers Surg. Med.*, **4**, 271-278, 1984.
- 5- **Prosperi E.**, Croce A.C., Bottiroli G. Dasdia T., Supino R. - Uptake kinetics and intracellular distribution of anthracyclines studied by laser cytofluorometry. *Bas. Appl. Histochem.*, **27**, 117-127, 1983.
- 4- **Prosperi E.**, Raap A.K., Van Der Ploeg M. - Histochemical model studies of enzyme activity after thermal damage. *Histochemistry*, **75**, 387-397, 1982.
- 3- Bottiroli G., Giordano P., **Prosperi E.** - Fluorescent probes for nuclei acid research. *Acta Histochem.*, suppl. **26**, 189-194, 1982.
- 2- **Prosperi E.** Raap A.K. - Substrate protection during the fixation of  $\beta$ -glucuronidase: cytochemical model system studies. *Histochem. J.*, **14**, 689-692, 1982.
- 1- PELLICCIARI C., **PROSPERI E.** - Quantitative cytochemical study of chromatin during megakaryocyte maturation. *Bas. Appl. Histochem.*, **24**, 409-421, 1980.